## **AMENDMENT TO THE CLAIMS**

## 1-16. (Previously canceled)

- 17. (Currently amended) An isolated DNA consisting essentially of <u>a</u> nucleotide sequences sequence encoding a protein having the amino acid sequence of SEQ ID NO:2 or SEQ ID NO:4, wherein said protein has transaldolase enzymatic activity.
- 18. (Currently amended) An isolated DNA consisting of <u>a</u> nucleotide sequences sequence encoding a protein having the amino acid sequence of SEQ ID NO:2 or SEQ ID NO:4, wherein said protein has transaldolase enzymatic activity.



- 19. (Currently amended) The isolated DNA of claim 17, wherein said DNA has the complete nucleotide sequence of SEQ ID NO:1 nucleotides 2471 to 3550 or SEQ ID NO:3 nucleotides 1 to 1080.
- 20. (Previously added) The isolated DNA of claim 17, wherein said DNA has the complete nucleotide sequence of SEQ ID NO:1 nucleotides 2471 to 3550 and degenerate variants thereof encoding a protein with transaldolase enzymatic activity having the amino acid sequence of SEQ ID NO:2.

## 21. (Canceled)

- 22. (Currently amended) An isolated DNA comprising a nucleotide sequence selected from the group consisting of SEQ ID NO:1 nucleotides 2471 to 3550; and the full complement of SEQ ID NO:1 nucleotides 2471 to 3550, SEQ ID NO:3 nucleotides 1 to 1080 and the full complement of SEQ ID NO:3 nucleotides 1 to 1080.
- 23. (Currently amended) An isolated DNA comprising a nucleotide sequence selected from the group consisting of: SEQ ID NO:1, the full complement of SEQ ID NO:1, SEQ ID NO:3; and the full complement of SEQ ID NO:3.
- 24. (Currently amended) An isolated DNA encoding a protein having transaldolase enzymatic activity with an amino acid sequence that is at least 80% identical to that of SEQ

ID NO:2 or SEQ ID NO:4, and wherein said transaldolase enzymatic activity is essentially the same as that of the protein of SEQ ID NO:2 or SEQ ID NO:4 or the same as that of the protein encoded by pSUZ1 shown in figure 1 and as found in *Escherichia coli* JM109/pSUZ1 deposited under accession number DSM 13263.

- 25. (Currently amended) An isolated DNA encoding a protein having transaldolase enzymatic activity with an amino acid sequence that is at least 90% identical to that of SEQ ID NO:2 or SEQ ID NO:4, and wherein said transaldolase enzymatic activity is essentially the same as that of the protein of SEQ ID NO:2 or SEQ ID NO:4 or the same as that of the protein encoded by pSUZ1 shown in figure 1 and as found in *Escherichia coli* JM109/pSUZ1 deposited under accession number DSM 13263.
- 26. (Currently amended) An isolated DNA encoding a protein having transaldolase enzymatic activity with an amino acid sequence that is at least 95% identical to that of SEQ ID NO:2 or SEQ ID NO:4, and wherein said transaldolase enzymatic activity is essentially the same as that of the protein of SEQ ID NO:2 or SEQ ID NO:4 or the same as that of the protein encoded by pSUZ1 shown in figure 1 and as found in *Escherichia coli* JM109/pSUZ1 deposited under accession number DSM 13263.
- 27. (Currently amended) A vector comprising the <u>isolated</u> DNA of any one of claims <del>17.</del> <del>26.</del>17-20, 22-26.
- 28. (Currently amended) A host cell comprising the isolated DNA of any one of claims 17-26 17-20 and 22-26.
- 29. (Previously added) A bacterium transformed with the vector of claim 27.
- 30. (Currently amended) A vector for expressing the transaldolase protein of *Corynebacterium glutamicum* comprising a promoter and a coding sequence, wherein said coding sequence consists of the <u>isolated</u> DNA of any one of claims <del>17-26</del> 17-20, 22-26.
- 31 (Previously canceled)

## **DUNICAN** et al. - Appln. No. 09/531,266

32. (Previously added) A bacterium transformed with the vector of claim 30.

6

33. (Previously amended) The bacterium of claim 32 wherein said bacterium is *Escherichia coli* JM109/pSUZ1 deposited under accession number DSM 13263.